

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	9	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map\$5 with identif\$5 370/225,232,252,253,352,389,392,400,442,406,428.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/08 14:10
L4	850	@ad<="20031208" (failure or repair) map\$5 logical physical 370/225,232,252,253,352,389,392,400,442,406,428.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/08 14:11
L5	23	@ad<="20031208" (failure or repair) map\$5 with (logical near3 physical) 370/225,232,252,392,400,442,406,428.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/08 14:12
S1	917	@ad<="20031208" device adj identifiers	US-PGPUB; USPAT	AND	OFF	2007/05/29 15:13
S2	0	@ad<="20031208" device adj identifiers pchid	US-PGPUB; USPAT	AND	OFF	2007/05/29 15:13
S3	1	@ad<="20031208" device adj identifiers physical near channel logical near channel	US-PGPUB; USPAT	AND	OFF	2007/05/29 15:15
S4	261	@ad<="20031208" device adj identifiers mapping	US-PGPUB; USPAT	AND	OFF	2007/05/29 15:15
S5	169	@ad<="20031208" device adj identifiers automa\$5 mapping	US-PGPUB; USPAT	AND	OFF	2007/05/29 15:15
S6	0	@ad<="20031208" device adj identifiers automa\$5 adj mapping	US-PGPUB; USPAT	AND	OFF	2007/05/29 15:16

S7	6	@ad<="20031208" device adj identifiers automa\$5 near2 mapping	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:00
S8	59	@ad<="20031208" device adj identifiers "370"/\$.ccls. mapping	US-PGPUB; USPAT	AND	OFF	2007/05/29 15:20
S9	1	@ad<="20031208" device adj identifiers "370"/\$.ccls. mapping logical near definitions	US-PGPUB; USPAT	AND	OFF	2007/05/29 15:21
S11	1	@ad<="20031208" device adj identifiers "370"/\$.ccls. logical with definitions	US-PGPUB; USPAT	AND	OFF	2007/09/26 10:51
S12	1	@ad<="20031208" device adj identifiers "370"/\$.ccls. logical near definitions	US-PGPUB; USPAT	AND	OFF	2007/09/26 10:51
S13	2	@ad<="20031208" mapping near3 identifi\$3 pchid	US-PGPUB; USPAT	AND	OFF	2007/09/26 10:54
S14	2	@ad<="20031208" mapping near3 identifi\$3 chpid	US-PGPUB; USPAT	AND	OFF	2007/09/26 10:54
S15	649	@ad<="20031208" mapping near3 identifi\$3 configur\$5 near5 devic\$2	US-PGPUB; USPAT	AND	OFF	2007/09/26 10:55
S16	0	@ad<="20031208" mapping near3 identifi\$3 configur\$5 near\ devic\$2	US-PGPUB; USPAT	AND	OFF	2007/09/26 10:55
S17	21	@ad<="20031208" mapping near3 identifi\$3 configuring near devic\$2	US-PGPUB; USPAT	AND	OFF	2007/09/26 10:55
S18	0	@ad<="20031208" device adj identifiers automa\$5 near2 mapping 370/229,235,252,255,389,351.ccls.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:04
S19	0	@ad<="20031208" device adj identifiers automa\$5 near2 mapping "370"/ \$.ccls.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:01
S20	1	beichter-friedrich-w.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:01
S21	6	hughes-john-j.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:01
S22	2	ranjan-ravi.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:02
S23	20	shapley-charles-e.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:03
S24	2	urquhart-james-r.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:03
S25	1	zerba-brian-k.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:03

S26	5	@ad<="20031208" device near identifiers automatic near2 mapping	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:49
S27	0	siamak-nazari.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:07
S28	10	nazari-siamak.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:17
S29	10	nazari-siamak.in. @ad<="20031208"	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:16
S30	0	nazari-siamak.in. @ad<="20031208" physical near path	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:11
S31	0	nazari-siamak.in. @ad<="20031208" physical near3 path	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:11
S32	2	nazari-siamak.in. @ad<="20031208" physical near3 path	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:11
S33	0	nazari-siamak.in. mapping with identifier	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:16
S34	0	nazari-siamak.in. @ad<="20031208" mapping near3 identifier	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:17
S35	0	nazari-siamak.in. @ad<="20031208" mapping near3 identifier\$2	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:17
S36	10	hisgen-andrew-l.in.	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:18
S37	1	hisgen-andrew-l.in. identifiers	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:18
S38	17	@ad<="20031208" device near identifiers priority with resource	US-PGPUB; USPAT	AND	OFF	2007/09/26 11:50
S39	3437	@ad<="20031208" (single near2 point\$2) with (failure or repair)	US-PGPUB; USPAT	AND	OFF	2008/04/29 10:08
S40	929	@ad<="20031208" (single near2 point\$2) with (failure or repair) mapping	US-PGPUB; USPAT	AND	OFF	2008/04/29 10:08
S41	17	@ad<="20031208" (single near2 point\$2) with (failure or repair) mapping near2 identifier	US-PGPUB; USPAT	AND	OFF	2008/04/29 10:08
S42	1	@ad<="20031208" (single near2 point\$2) with (failure repair) mapping near2 identifier	US-PGPUB; USPAT	AND	OFF	2008/04/29 10:22
S43	1	@ad<="20031208" (single near2 point\$2) with (failure repair) mapping with identifier	US-PGPUB; USPAT	AND	OFF	2008/04/29 10:22

S44	0	@prad<="20031208" (single near2 point\$2) with (failure repair) mapping with identifier	US-PGPUB; USPAT	AND	OFF	2008/04/29 10:22
S45	1	@ad<="20031208" (single near2 point\$2) with (failure repair) mapping with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:22
S46	0	@rlad<="20031208" (single near2 point\$2) with (failure repair) mapping with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:22
S47	0	@rlad<="20031208" (single near4 point\$2) with (failure repair) mapping with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:22
S48	0	@rlad<="20031208" (single near4 point\$2) same (failure repair) mapping with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:23
S49	1	@ad<="20031208" (single near4 point\$2) same (failure repair) mapping with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:23
S50	51	@ad<="20031208" (single near4 point\$2) same (failure or repair) mapping with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:23

S51	24	@ad<="20031208" (single near2 point\$2) same (failure or repair) mapping near5 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:23
S52	18	@ad<="20031208" (single near2 point\$2) same (failure or repair) avoid mapping near5 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:24
S53	13	@ad<="20031208" (single near2 point\$2) (failure or repair) same avoid mapping near5 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:25
S54	14	@ad<="20031208" (single near4 point\$2) (failure or repair) same avoid mapping near5 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:25
S55	3	@ad<="20031208" (single near4 point\$2) (failure or repair) with avoid mapping near5 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:26
S56	3739	@ad<="20031208" (single near4 point\$2) with (failure or repair)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:26

S57	236	@ad<="20031208" (avoid near5 single near4 point\$2) with (failure or repair)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:27
S58	7	@ad<="20031208" (avoid near5 single near4 point\$2) with (failure or repair) mapping with path\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:27
S59	11	@ad<="20031208" (avoid near5 single near4 point\$2) with (failure or repair) mapping same path\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/04/29 10:28
S60	3059	@ad<="20031208" mapp\$3 with (build near3 computer or machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:24
S61	4	@ad<="20031208" mapp\$3 with (build near3 computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:25
S62	6	@ad<="20031208" mapp\$3 same (build near3 computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:26

S63	0	@ad<="20031208" mapp\$3 same (computer near component\$2 near2 build)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:27
S64	0	@ad<="20031208" mapp\$3 same (computer near component\$2) prior near2 install\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:27
S65	1	@ad<="20031208" mapp\$3 same (computer near3 component\$2) prior near2 install\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:27
S66	0	@ad<="20031208" (computer near3 component\$2) mapping with (prior near2 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:30
S67	0	@ad<="20031208" (computer near3 component\$2) mapping same (prior near2 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:30
S68	0	@ad<="20031208" (computer near3 component\$2) mapping same (prior near5install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:30

S69	0	@ad<="20031208" (computer near3 component\$2) mapping same (prior near5 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:30
S70	6	@ad<="20031208" computer mapping same (prior near5 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:30
S71	1	@ad<="20031208" components with computer\$2 mapping same (prior near5 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 10:33
S72	0	@ad<="20031208" hardware near4 build\$4 mapping same (prior near5 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 14:09
S73	0	@ad<="20031208" hardware (mapping near4 component\$2) same (prior near5 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 14:10
S74	0	@ad<="20031208" (mapping near4 component\$2) same (prior near5 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 14:10

S75	0	@ad<="20031208" (hardware near4 component\$2) same (prior near5 install\$4) mapping'	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 14:10
S76	0	@ad<="20031208" (hardware near4 component\$2) same (prior near5 install\$4) mapping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 14:10
S77	2	@ad<="20031208" (mapping with configuration) same (prior near5 install\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 14:11
S78	253	@ad<="20031208" configuration same (prior near5 install\$4) hardware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 14:12
S79	5	@ad<="20031208" configuration same (prior near5 install\$4) hardware with mapping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 14:12
S80	0	"6763454".in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/09/04 15:57

S87	0	@ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping with physcial\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:03
S88	5	@ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:03
S89	9	@ad<="20031208" (avoid near5 point\$2) same (failure or repair) mapping same identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:05
S90	8	@ad<="20031208" (avoid with point\$2) same (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:05
S91	5	@ad<="20031208" (avoid near7 point\$2) same (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:07
S92	8	@rlad<="20031208" (avoid near7 point\$2) same (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:07

S93	1	@prad<="20031208" (avoid near7 point\$2) same (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:07
S94	230	@ad<="20031208" avoid with (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:17
S95	5	@ad<="20031208" (point\$2 near8 avoid) with (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:18
S96	811	@ad<="20031208" point\$2 with (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:18
S97	4	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) mapping near4 identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:19
S98	7	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) mapping with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:19

S99	35	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map \$5 with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:22
S100	12	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map \$5 with identif\$5 709/220,223,226,229,243.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 08:49
S101	6	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map \$5 with identif\$5 709/201,203,206,242.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 10:28
S102	7	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map \$5 with identif\$5 370/252,253,352,389,392,400,442,406,428.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/04/05 10:30
S103	7	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map \$5 with identif\$5 370/252,253,352,389,392,400,442,406,428.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/10/22 13:09
S104	7	@ad<="20031208" (avoid\$5 near5 point\$3) with (failure or repair) map \$5 with identif\$5 370/252,253,352,389,392,400,442,406,428.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/22 13:09

S106	2	"7394760".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/10/28 10:01
S107	2	"6567935".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/10/28 10:09
S108	2	"7394760".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/05 11:32
S109	2	"7394760".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/01/05 12:30

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S105	28	(avoid\$5 near5 point\$3) with (failure or repair) map\$5 with identif\$5	USPAT; UPAD	AND	ON	2009/10/22 13:09

1/ 8/ 2010 2:18:28 PM

C:\Documents and Settings\rjain1\My Documents\EAST\Workspaces\10730664.wsp